

HEATING, VENTILATING AND AIR CONDITIONING (HVAC) CONTROL SYSTEMS

Table of Contents

	Page
CHAPTER 1. GENERAL	
Paragraph 1. Purpose	1-1
2. Scope	1-1
3. References	1-1
4. Policy	1-1
5. Control system designer guidance	1-1
6. Design concept	1-2
7. DDC versus SLDC	1-2
8. Control system standards	1-5
9. Project implementation	1-7
10. Design package requirements for HVAC control systems	1-8
11. EMCS interface with standard local control panels	1-10
12. Fan starter control circuit override by external control systems	1-13
13. Coordination with HVAC system balancing	1-13
14. Symbols	1-13
15. Explanation of terms	1-13
CHAPTER 2. HVAC CONTROL SYSTEM EQUIPMENT, EQUIPMENT USES AND HVAC CONTROL LOOPS	
Paragraph 1. General	2-1
2. Control system operating modes and process variables	2-1
3. Control system equipment	2-2
4. Control loops	2-14

Table of Contents (cont'd)

5. Open control loops	2-14
6. Closed control loops	2-14
7. Application of open-loop control and closed-loop control to HVAC systems.	2-15
8. Typical control modes	2-15
9. Standard HVAC system control loops	2-20
10. Sizing and selection of control system devices	2-20
11. Sizing of the air compressor motor	2-20
12. Determination of control valve flow coefficient (K_v / C_v)	2-22
13. Calculation of liquid control valve flow coefficient (K_v / C_v)	2-22
14. Calculation of steam control valve flow coefficient (K_v / C_v)	2-25
15. Determining valve actuator close-off pressure ratings	2-29
16. Surge protection provisions for transmitter and control wiring	2-30

CHAPTER 3. STANDARD CONTROL LOOPS

Paragraph 1. General	3-1
2. Cooling coil temperature control loop	3-1
3. Outside air preheat coil temperature control loop	3-1
4. Heating coil temperature control loop	3-2
5. Mixed air temperature and economizer control loops	3-5
6. Minimum outside air control loop for VAV HVAC systems	3-7
7. Supply duct static pressure control loop	3-9
8. Return fan volume control loop	3-9
9. Humidifier control loop	3-11
10. The typical schematic	3-11
11. The typical ladder diagram	3-11

Table of Contents (cont'd)

12.	The typical equipment schedule	3-12
13.	The typical data terminal strip (DTS) layout	3-13
CHAPTER 4. STANDARD HVAC CONTROL SYSTEMS		
Paragraph	1. General	4-1
	2. Identification of control system devices	4-1
	3. Project specific drawings	4-1
	4. Space temperature controlled perimeter radiation control system	4-2
	5. Unit heater temperature control system	4-2
	6. Gas-fired infrared heater control system	4-2
	7. Small packaged unitary system control system	4-3
	8. Dual-temperature fan coil unit control system	4-3
	9. Control systems that require control panels	4-4
	10. Standard single-loop controller HVAC control panel	4-4
	11. Central plant steam hydronic heating control system	4-6
	12. Single building hydronic heating with hot water boiler control system	4-8
	13. Central plant high-temperature hot water hydronic heating control system	4-10
	14. Central plant steam dual-temperature hydronic control system	4-13
	15. Central plant high-temperature hot water dual-temperature hydronic control system	4-15
	16. Single building dual-temperature hydronic control system	4-17
	17. Heating and ventilating control system	4-20
	18. Multizone HVAC control system with return fan	4-23
	19. Dual-duct HVAC control system with return fan	4-28
	20. Bypass multizone HVAC control system with return fan	4-32
	21. Variable air volume (VAV) HVAC control system without return fan	4-37

Table of Contents (cont'd)

22. Variable air volume (VAV) HVAC control system with return fan	4-42
23. Single zone HVAC control system	4-47
24. Dual-temperature coil single zone HVAC control system	4-51
25. Single zone HVAC control system with humidity control	4-56
26. Single zone HVAC control system with direct-expansion (DX) cooling coil .	4-60

CHAPTER 5. CONTROL SYSTEM DESIGN VARIATIONS

Paragraph 1. General	5-1
2. Control system variations for 100-percent outside air (continuous operation)	5-1
3. Control system variations for exhaust fans	5-2
4. Control system variations for smoke dampers	5-2
5. Control system variations for variable speed drives	5-3
6. Control system variations for steam preheat coil with face and bypass damper	5-4
7. Control system variation for hot water or glycol preheat coil	5-4
8. Control system variation for combining hydronic system and air system controls in the same control panel	5-4
9. Unoccupied mode space temperature setback control for terminal units . . .	5-4
10. Control system variations for 2-way shutoff valves for fan coil units	5-4
11. Control system variation for building purge / flush cycle.	5-5
12. Control system variations for EMCS initiated building purge and recirculation modes	5-5
13. Control system variations for smoke control and freeze protection	5-6
14. Control system variations for non-economizer HVAC systems	5-6
15. Control system variations for dual steam valves	5-7
16. Control system variations for hydronic systems with boilers requiring constant flow	5-7

Table of Contents (cont'd)

CHAPTER 6. RETROFIT OF EXISTING HVAC CONTROL SYSTEMS

Paragraph	1. Introduction	6-1
	2. Valve sizing and its effect on hydronic systems	6-1
	3. Damper sizing and its effect on air handling systems	6-1
	4. Replacement of 3-way and 2-way valves	6-1
	5. Retrofit projects where only final elements may be left in place	6-1
	6. Retrofits involving economizer control loops	6-1
	7. Retrofit projects involving HVAC systems not covered in this manual	6-2
	8. General considerations for retrofit projects	6-2

GLOSSARY	Glossary 1
--------------------	------------

LIST OF FIGURES

Figure	Title
2-1.	Two butterfly valves on a common pipe tee.
2-2.	Conversion of an electronic signal to a pneumatic signal.
2-3.	Simultaneous heating and cooling with pneumatic actuators without positive positioners.
2-4.	Control system with positive positioners to avoid simultaneous heating and cooling.
2-5.	Modulating control circuits impedance limitation.
2-6.	Manual reset feature.
2-7.	Control loop.
2-8.	Open control loop.
2-9.	Closed control loop.
2-10.	Two loops controlling one device (humidity control with high limit).
2-11.	Two-position control.
2-12.	Simple control loop applied to outside air heating.
2-13.	Proportional control mode.
2-14.	Proportional plus integral control mode.
2-15.	Comparison of P mode, PI mode and PID mode for a step change in setpoint and the contributions of each mode to controller output signal.
2-16.	Typical normally-open pneumatic valve.
2-17.	Close-off pressure for two-way valves.
2-18.	Close-off pressure for three-way valves.
3-1.	Cooling coil temperature control loop.
3-2.	Outside air preheat coil temperature control loop.
3-3.	Heating coil temperature control loop (scheduled from outside air temperature).
3-4.	Outside air temperature controller input / output schedule.
3-5.	Heating coil temperature control loop with heating coil controlled at a constant temperature.

Table of Contents (cont'd)

3-6.	Mixed air temperature and economizer control loops.
3-7.	Design condition for economizer mode operation.
3-8.	Selecting the economizer switchover point.
3-9.	Effect on energy conservation of selection of the economizer switchover point.
3-10.	Minimum outside air and mixed air temperature / economizer control loops for VAV systems.
3-11.	Supply duct static pressure control loop.
3-12.	Return fan volume control loop.
3-13.	Humidifier control loop.
3-14.	Typical single-loop controller schematic.
3-15.	Typical DDC schematic.
3-16.	Typical ladder diagram.
3-17.	Typical equipment schedule.
3-18.	Typical DDC data terminal strip layout.
4-1.	Space temperature controlled perimeter radiation control system.
4-2.	Unit heater temperature control system.
4-3.	Gas-fired infrared heater temperature control system.
4-4.	Small packaged unitary system control system.
4-5.	Dual-temperature fan coil unit temperature control system.
4-6a.	Standard wall-mounted HVAC control panel arrangement.
4-6b.	Section "A-A" through standard HVAC control panel.
4-6c.	Standard HVAC control panel interior door.
4-6d.	Standard HVAC control panel back panel layout.
4-6e.	Standard HVAC control panel terminal block assignments.
4-6f.	Controller wiring.
4-6g.	Supply fan and return fan starter wiring.
4-6h.	Exhaust fan and pump starter wiring.
4-6i.	HVAC control panel power wiring.
4-7a.	Control system schematic for central plant steam hydronic system.
4-7b.	Control system ladder diagram for central plant steam hydronic system.
4-7c.	Control system equipment for central plant steam hydronic system.
4-7d.	Control panel interior door layout for central plant steam hydronic system.
4-7e.	Control panel back panel layout for central plant steam hydronic system.
4-7f.	Control panel terminal block layout for central plant steam hydronic system.
4-7g.	DDC control system schematic for central plant steam hydronic system.
4-7h.	DDC control system ladder diagram for central plant steam hydronic system.
4-7i.	DDC control system equipment for central plant steam hydronic system.
4-7j.	DDC control system I/O table and data terminal strip layout for central plant steam hydronic system.
4-8a.	Control system schematic for single building hydronic heating system with hot water boiler.
4-8b.	Control system ladder diagram for single building hydronic heating system with hot water boiler.
4-8c.	Control system equipment for single building hydronic heating system with hot water boiler.
4-8d.	Control panel interior door layout for single building hydronic heating system with hot water boiler.
4-8e.	Control panel back panel layout for single building hydronic heating system with hot water boiler.

Table of Contents (cont'd)

4-8f.	Control panel terminal block layout for single building hydronic heating system with hot water boiler.
4-8g.	DDC control system schematic for single building hydronic heating system with hot water boiler.
4-8h.	DDC control system ladder diagram for single building hydronic heating system with hot water boiler.
4-8i.	DDC control system equipment for single building hydronic heating system with hot water boiler.
4-8j.	DDC control system I/O table and data terminal strip layout for single building hydronic heating system with hot water boiler.
4-9a.	Control system schematic for central plant high-temperature hot water hydronic heating system.
4-9b.	Control system ladder diagram for central plant high-temperature hot water hydronic heating system.
4-9c.	Control system equipment for central plant high-temperature hot water hydronic heating system.
4-9d.	Control panel interior door layout for central plant high-temperature hot water hydronic heating system.
4-9e.	Control panel back panel layout for central plant high-temperature hot water hydronic heating system.
4-9f.	Control panel terminal block layout for central plant high-temperature hot water hydronic heating system.
4-9g.	DDC control system schematic for central plant high-temperature hot water hydronic heating system.
4-9h.	DDC control system ladder diagram for central plant high-temperature hot water hydronic heating system.
4-9i.	DDC control system equipment for central plant high-temperature hot water hydronic heating system.
4-9j.	DDC control system I/O table and data terminal strip layout for central plant high-temperature hot water hydronic heating system.
4-10a.	Control system schematic for central plant steam dual-temperature hydronic system.
4-10b.	Control system ladder diagram for central plant steam dual-temperature hydronic system.
4-10c.	Control system equipment for central plant steam dual-temperature hydronic system.
4-10d.	Control panel interior door layout for central plant steam dual-temperature hydronic system.
4-10e.	Control panel back panel layout for central plant steam dual-temperature hydronic system.
4-10f.	Control panel terminal block layout for central plant steam dual-temperature hydronic system.
4-10g.	DDC control system schematic for central plant steam dual-temperature hydronic system.
4-10h.	DDC control system ladder diagram for central plant steam dual-temperature hydronic system.
4-10i.	DDC control system equipment for central plant steam dual-temperature hydronic system.
4-10j.	DDC control system I/O table and data terminal strip layout for central plant steam dual-temperature hydronic system.
4-11a.	Control system schematic for central plant high-temperature hot water dual-temperature hydronic system.

Table of Contents (cont'd)

4-11b.	Control system ladder diagram for central plant high-temperature hot water dual-temperature hydronic system.
4-11c.	Control system equipment for central plant high-temperature hot water dual-temperature hydronic system.
4-11d.	Control panel interior door layout for central plant high-temperature hot water dual-temperature hydronic system.
4-11e.	Control panel back panel layout for central plant high-temperature hot water dual-temperature hydronic system.
4-11f.	Control panel terminal block layout for central plant high-temperature hot water dual-temperature hydronic system.
4-11g.	DDC control system schematic for central plant high-temperature hot water dual-temperature hydronic system.
4-11h.	DDC control system ladder diagram for central plant high-temperature hot water dual-temperature hydronic system.
4-11i.	DDC control system equipment for central plant high-temperature hot water dual-temperature hydronic system.
4-11j.	DDC control system I/O table and data terminal strip layout for central plant high-temperature hot water dual-temperature hydronic system.
4-12a.	Control system schematic for single building dual-temperature hydronic system.
4-12b.	Control system ladder diagram for single building dual-temperature hydronic system.
4-12c.	Control system equipment for single building dual-temperature hydronic system.
4-12d.	Control panel interior door layout for single building dual-temperature hydronic system.
4-12e.	Control panel back panel layout for single building dual-temperature hydronic system.
4-12f.	Control panel terminal block layout for single building dual-temperature hydronic system.
4-12g.	DDC control system schematic for single building dual-temperature hydronic system.
4-12h.	DDC control system ladder diagram for single building dual-temperature hydronic system.
4-12i.	DDC control system equipment for single building dual-temperature hydronic system.
4-12j.	DDC control system I/O table and data terminal strip layout for single building dual-temperature hydronic system.
4-13a.	Control system schematic for heating and ventilating system.
4-13b.	Control system ladder diagram for heating and ventilating system.
4-13c.	Control system equipment for heating and ventilating system.
4-13d.	Control panel interior door layout for heating and ventilating system.
4-13e.	Control panel back panel layout for heating and ventilating system.
4-13f.	Control panel terminal block layout for heating and ventilating system.
4-13g.	DDC control system schematic for heating and ventilating system.
4-13h.	DDC control system ladder diagram for heating and ventilating system.
4-13i.	DDC control system equipment for heating and ventilating system.
4-13j.	DDC control system I/O table and data terminal strip layout for heating and ventilating system.
4-14a.	Control system schematic for multizone HVAC system.
4-14b.	Control system ladder diagram for multizone HVAC system.
4-14c.	Control system equipment for multizone HVAC system.
4-14d.	Control panel interior door layout for multizone HVAC system.
4-14e.	Control panel back panel layout for multizone HVAC system.
4-14f.	Control panel terminal block layout for multizone HVAC system.
4-14g.	DDC control system schematic for multizone HVAC system.
4-14h.	DDC control system ladder diagram for multizone HVAC system.
4-14i.	DDC control system equipment for multizone HVAC system.

Table of Contents (cont'd)

4-14j.	DDC control system I/O table and data terminal strip layout for multizone HVAC system.
4-15a.	Control system schematic for dual-duct HVAC system.
4-15b.	Control system ladder diagram for dual-duct HVAC system.
4-15c.	Control system equipment for dual-duct HVAC system.
4-15d.	Control panel interior door layout for dual-duct HVAC system.
4-15e.	Control panel back panel layout for dual-duct HVAC system.
4-15f.	Control panel terminal block layout for dual-duct HVAC system.
4-15g.	DDC control system schematic for dual-duct HVAC system.
4-15h.	DDC control system ladder diagram for dual-duct HVAC system.
4-15i.	DDC control system equipment for dual-duct HVAC system.
4-15j.	DDC control system I/O table and data terminal strip layout for dual-duct HVAC system.
4-16a.	Control system schematic for bypass multizone HVAC system.
4-16b.	Control system ladder diagram for bypass multizone HVAC system.
4-16c.	Control system equipment for bypass multizone HVAC system.
4-16d.	Control panel interior door layout for bypass multizone HVAC system.
4-16e.	Control panel back panel layout for bypass multizone HVAC system.
4-16f.	Control panel terminal block layout for bypass multizone HVAC system.
4-16g.	DDC control system schematic for bypass multizone HVAC system.
4-16h.	DDC control system ladder diagram for bypass multizone HVAC system.
4-16i.	DDC control system equipment for bypass multizone HVAC system.
4-16j.	DDC control system I/O table and data terminal strip layout for bypass multizone HVAC system.
4-17a.	Control system schematic for VAV HVAC system without return fan.
4-17b.	Control system ladder diagram for VAV HVAC system without return fan.
4-17c.	Control system equipment for VAV HVAC system without return fan.
4-17d.	Control panel interior door layout for VAV HVAC system without return fan.
4-17e.	Control panel back panel layout for VAV HVAC system without return fan.
4-17f.	Control panel terminal block layout for VAV HVAC system without return fan.
4-17g.	DDC control system schematic for VAV HVAC system without return fan.
4-17h.	DDC control system ladder diagram for VAV HVAC system without return fan.
4-17i.	DDC control system equipment for VAV HVAC system without return fan.
4-17j.	DDC control system I/O table and data terminal strip layout for VAV HVAC system without return fan.
4-18a.	Control system schematic for VAV HVAC system with return fan.
4-18b.	Control system ladder diagram for VAV HVAC system with return fan.
4-18c.	Control system equipment for VAV HVAC system with return fan.
4-18d.	Control panel interior door layout for VAV HVAC system with return fan.
4-18e.	Control panel back panel layout for VAV HVAC system with return fan.
4-18f.	Control panel terminal block layout for VAV HVAC system with return fan.
4-18g.	DDC control system schematic for VAV HVAC system with return fan.
4-18h.	DDC control system ladder diagram for VAV HVAC system with return fan.
4-18i.	DDC control system equipment for VAV HVAC system with return fan.
4-18j.	DDC control system I/O table and data terminal strip layout for VAV HVAC system with return fan.
4-19a.	Control system schematic for single zone HVAC system.
4-19b.	Control system ladder diagram for single zone HVAC system.
4-19c.	Control system equipment for single zone HVAC system.
4-19d.	Control panel interior door layout for single zone HVAC system.
4-19e.	Control panel back panel layout for single zone HVAC system.
4-19f.	Control panel terminal block layout for single zone HVAC system.

Table of Contents (cont'd)

4-19g.	DDC control system schematic for single zone HVAC system.
4-19h.	DDC control system ladder diagram for single zone HVAC system.
4-19i.	DDC control system equipment for single zone HVAC system.
4-19j.	DDC control system I/O table and data terminal strip layout for single zone HVAC system.
4-20a.	Control system schematic for single zone HVAC system with dual-temperature coil.
4-20b.	Control system ladder diagram for single zone HVAC system with dual-temperature coil.
4-20c.	Control system equipment for single zone HVAC system with dual-temperature coil.
4-20d.	Control panel interior door layout for single zone HVAC system with dual-temperature coil.
4-20e.	Control panel back panel layout for single zone HVAC system with dual-temperature coil.
4-20f.	Control panel terminal block layout for single zone HVAC system with dual-temperature coil.
4-20g.	DDC control system schematic for single zone HVAC system with dual-temperature coil.
4-20h.	DDC control system ladder diagram for single zone HVAC system with dual-temperature coil.
4-20i.	DDC control system equipment for single zone HVAC system with dual-temperature coil.
4-20j.	DDC control system I/O table and data terminal strip layout for single zone HVAC system with dual-temperature coil.
4-21a.	Control system schematic for single zone HVAC system with humidity control.
4-21b.	Control system ladder diagram for single zone HVAC system with humidity control.
4-21c.	Control system equipment for single zone HVAC system with humidity control.
4-21d.	Control panel interior door layout for single zone HVAC system with humidity control.
4-21e.	Control panel back panel layout for single zone HVAC system with humidity control.
4-21f.	Control panel terminal block layout for single zone HVAC system with humidity control.
4-21g.	DDC control system schematic for single zone HVAC system with humidity control.
4-21h.	DDC control system ladder diagram for single zone HVAC system with humidity control.
4-21i.	DDC control system equipment for single zone HVAC system with humidity control.
4-21j.	DDC control system I/O table and data terminal strip layout for single zone HVAC system with humidity control.
4-22a.	Control system schematic for single zone HVAC system with DX coil.
4-22b.	Control system ladder diagram for single zone HVAC system with DX coil.
4-22c.	Control system equipment for single zone HVAC system with DX coil.
4-22d.	Control panel interior door layout for single zone HVAC system with DX coil.
4-22e.	Control panel back panel layout for single zone HVAC system with DX coil.
4-22f.	Control panel terminal block layout for single zone HVAC system with DX coil.
4-22g.	DDC control system schematic for single zone HVAC system with DX coil.
4-22h.	DDC control system ladder diagram for single zone HVAC system with DX coil.
4-22i.	DDC control system equipment for single zone HVAC system with DX coil.
4-22j.	DDC control system I/O table and data terminal strip layout for single zone HVAC system with DX coil.
5-1.	Schematic variations for 100-percent outside air systems.
5-2.	Ladder diagram variations for 100-percent outside air systems.
5-3.	Schematic variations for exhaust fans.
5-4.	Ladder diagram variations for exhaust fans.
5-5.	Schematic variations for smoke dampers.
5-6.	Ladder diagram variations for smoke dampers.
5-7a.	Schematic variations for variable speed drives.
5-7b.	Ladder diagram variations for variable speed drives.
5-7c.	Equipment variations for variable speed drives.

Table of Contents (cont'd)

5-7d.	Control panel interior door layout variations for variable speed drives.
5-7e.	Control panel back panel layout variations for variable speed drives.
5-7f.	Control panel terminal block layout variations for variable speed drives.
5-7g.	DDC schematic variations for variable speed drives.
5-7h.	DDC ladder diagram variations for variable speed drives.
5-7i.	DDC schedule variations for variable speed drives.
5-7j.	DDC I/O table and data terminal strip layout variations for variable speed drives.
5-8.	Control system variations for steam preheat coil with face and bypass dampers.
5-9.	Control system variations for unoccupied mode setback (perimeter radiation).
5-10.	Control system variations for unoccupied mode setback (unit heater).
5-11.	Control system variations for 2-way shutoff valve on fan coil units.
5-12a.	Control system schematic for multizone HVAC system with building flush mode of operation
5-12b.	Control system ladder diagram for multizone HVAC system with building flush mode of operation.
5-12c.	Control system equipment for multizone HVAC system with building flush mode of operation.
5-12d.	Control panel interior door layout for multizone HVAC system with building flush mode of operation.
5-12e.	Control panel back panel layout for multizone HVAC system with building flush mode of operation.
5-12f.	Control panel terminal block layout for multizone HVAC system with building flush mode of operation.
5-13.	Control system variations for EMCS building purge and recirculation modes for pneumatic actuators.
5-14.	Control system variations for EMCS building purge and recirculation modes for electric or electronic actuators.
5-15a.	Control system schematic for single-zone HVAC system without economizer control mode.
5-15b.	Control system ladder diagram for single-zone HVAC system without economizer control mode.
5-15c.	Control system equipment for single-zone HVAC system without economizer control mode.
5-15d.	Control panel interior door layout for single-zone HVAC system without economizer control mode.
5-15e.	Control panel back panel layout for single-zone HVAC system without economizer control mode.
5-15f.	Control panel terminal block layout for single-zone HVAC system without economizer control mode.
5-15g.	DDC control system schematic for single-zone HVAC system without economizer control mode.
5-15h.	DDC control system ladder diagram for single-zone HVAC system without economizer control mode.
5-15i.	DDC control system equipment for single-zone HVAC system without economizer control mode.
5-15j.	DDC control system I/O table and data terminal strip layout for single-zone HVAC system without economizer control mode.
5-16.	Schematic variations for dual steam valves.
5-17.	Equipment schedule variations for dual steam valves.

Table of Contents (cont'd)

5-18a.	Control system schematic for single building hydronic heating system with constant volume hot water boiler loop.
5-18b.	Control system ladder diagram for single building hydronic heating system with constant volume hot water boiler loop.
5-18c.	Control system equipment for single building hydronic heating system with constant volume hot water boiler loop.
5-18d.	Control panel interior door layout for single building hydronic heating system with constant volume hot water boiler loop.
5-18e.	Control panel back panel layout for single building hydronic heating system with constant volume hot water boiler loop.
5-18f.	Control panel terminal block layout for single building hydronic heating system with constant volume hot water boiler loop.
5-18g.	DDC control system schematic for single building hydronic heating system with constant volume hot water boiler loop.
5-18h.	DDC control system ladder diagram for single building hydronic heating system with constant volume hot water boiler loop.
5-18i.	DDC control system equipment for single building hydronic heating system with constant volume hot water boiler loop.
5-18j.	DDC control system I/O table and data terminal strip layout for single building hydronic heating system with constant volume hot water boiler loop.
5-19a.	Control system schematic for single building dual-temperature hydronic system with constant volume boiler loop.
5-19b.	Control system ladder diagram for single building dual-temperature hydronic system with constant volume boiler loop.
5-19c.	Control system equipment for single building dual-temperature hydronic system with constant volume boiler loop.
5-19d.	Control panel interior door layout for single building dual-temperature hydronic system with constant volume boiler loop.
5-19e.	Control panel back panel layout for single building dual-temperature hydronic system with constant volume boiler loop.
5-19f.	Control panel terminal block layout for single building dual-temperature hydronic system with constant volume boiler loop.
5-19g.	DDC control system schematic for single building dual-temperature hydronic system with constant volume boiler loop.
5-19h.	DDC control system ladder diagram for single building dual-temperature hydronic system with constant volume boiler loop.
5-19i.	DDC control system equipment for single building dual-temperature hydronic system with constant volume boiler loop.
5-19j.	DDC control system I/O table and data terminal strip layout for single building dual-temperature hydronic system with constant volume boiler loop.

LIST OF TABLES

Table	Title
1-1.	Commissioning procedure.
2-1.	Controller features.
2-2.	Air consumption of control devices.
2-3.	Available control valves with Cv in the range of 16 to 25.